

Electric motorcycles


Here are some representative products:

1.



Dimensions L x W x H	1780 x640x1065mm	Meter	Mechanical
Motor power	500W	Max speed	40km/h
Battery voltage	48V	Mileage range	≥50km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	Front rocker damping, back double spring	Braking	Drum brake

2.



Wheelbase	1270mm	Meter	Mechanical
Motor power	350W	Max speed	20km/h
Battery voltage	48V	Mileage range	≥50km
Battery capacity	20AH	Tyre	16 x 2.6IN
Damping	Front telescopic shock absorber ,back spring	Braking	Drum brake

The product equipped with ARS Automatic vehicle repair system failures.



Dimensions L x W x H	1800 x 650 x 1050mm	Meter	Mechanical
Motor power	800W	Max speed	40km/h
Battery voltage	48V	Mileage range	≥60km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	Front telescopic shock absorber ,back spring	Braking	Drum brake

The product equipped with multiple anti-theft design.



Dimensions L x W x H	1808 x670 x1120mm	Meter	Electron
Motor power	500W	Max speed	40km/h
Battery voltage	72V	Mileage range	≥150km
Battery capacity	28AH	Tyre	10 x 3.0IN
Damping	Telescopic shock absorber	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.



Dimensions L x W x H	1735 x 655 x 1070mm	Meter	mechanical
Motor power	1500W	Max speed	55km/h
Battery voltage	68V	Mileage range	≥60km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	Front telescopic shock absorber, back double spring	Braking	drum brake


The product equipped with multiple anti-theft design.



Dimensions L x W x H	1750 x 642 x 1065mm	Meter	mechanical
Motor power	1500W	Max speed	50km/h
Battery voltage	72V	Mileage range	≥75km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	Front telescopic shock absorber, back spring	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.

7.



Dimensions L x W x H	1808 x 670 x 1120mm	Meter	LDE
Motor power	500W	Max speed	40km/h
Battery voltage	72V	Mileage range	≥60km
Battery capacity	28AH	Tyre	10 x 3.0IN
Damping	telescopic shock absorber	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.

8.



Dimensions L x W x H	1580 x 640 x 1060mm	Meter	Mechanical
Motor power	500W	Max speed	40km/h
Battery voltage	48V	Mileage range	≥55km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	telescopic shock absorber	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.

9.



Dimensions L x W x H	2030 x 580 x 1220mm	Meter	Mechanical
Motor power	500W	Max speed	40km/h
Battery voltage	72V	Mileage range	50km
Battery capacity	28AH	Tyre	16 x 3.0IN
Damping	Front telescopic shock absorber ,back adjustable hydraulic shock absorber	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.

10.



Dimensions L x W x H	2250 x 660 x 1300mm	Meter	Mechanical
Motor power	800W	Max speed	55km/h
Battery voltage	48V	Mileage range	50km
Battery capacity	20AH	Tyre	10 x 3.0IN
Damping	Front rocker damping, back double spring	Braking	Drum brake

The product equipped with Intelligent digital security system.

11.



Dimensions L x W x H	1930 x 880 x 1100mm	Meter	Mechanical
Motor power	500W	Max speed	20km/h
Battery voltage	60V	Mileage range	35km
Battery capacity	20AH	Tyre	16 x 3.0IN
Damping	Front rocker damping , back adjustable hydraulic shock absorber	Braking	Front disc brake, back drum brake

The product equipped with multiple anti-theft design.

12.





Dimensions L x W x H	2230 x 820 x 1090mm	Meter	Mechanical
Motor power	2000W	Max speed	80km/h
Battery voltage	80V	Mileage range	50km
Battery capacity	20AH	Tyre	16 x 3.0IN
Damping	Front telescopic shock absorber ,back adjustable hydraulic shock absorber	Braking	Disc brake

The product equipped with multiple anti-theft design.